

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	451	((select\$5) with ((black or k) near4 generat\$5) with output\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:37
L2	12	1 and ((select\$5) with ((ucr or (under adj2 color)) near4 generat\$5) with output\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:37
L3	4	2 and ((judg\$5 or discriminat\$6) with (region or area))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:38
L4	7967	((select\$5) with ((black or k)) with output\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:37
L5	71	((select\$5) with ((black or k)) with output\$5) and ((select\$5) with ((ucr or (under adj2 color))) with output\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:38
L6	29	5 and ((judg\$5 or discriminat\$6) with (region or area))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:38
L7	21	5 and (((judg\$5 or discriminat\$6) with (region or area)) same (photograph\$5 or graphic or character or text))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:39
L8	10	7 and ((max or maximum) with (y near4 m near4 c)) and ((Min or minimum) with (y nea4 m near4 c))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:40

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	4911	((("2" or two) near2 dimension\$5) or 2-d) near4 (lut or lookup or look-up or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:26
L5	803	3 and ((generat\$5 or output\$5) near4 (address\$5 or index\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:26
L6	1	5 and ((address or index) near5 (difference) near5 (min or minimum or smallest or least) near5 (max or maximum or largest or biggest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:27
L7	1	3 and ((address or index) near5 (difference) near5 (min or minimum or smallest or least) near5 (max or maximum or largest or biggest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:28
L8	4	3 and ((address or index) same ((difference) near5 (min or minimum or smallest or least) near5 (max or maximum or largest or biggest)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:31
L9	26	((((first or second) near2 (address or index)) same ((difference) near5 (min or minimum or smallest or least) near5 (max or maximum or largest or biggest))) and (((first or second) near2 (address or index)) same (min or minimum or smallest or least)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:36
L10	1	9 and (cmy or cmyk or (c near2 m near2 y))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:33
L11	16	9 and (lut or lookup or look-up or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:36
L12	9	9 and ((address\$5 or index\$5 or indic\$5) same (lut or lookup or look-up or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:38
L13	1	9 and ((address\$5 or index\$5 or indic\$5) with (min or minimum or smallest) with (cmy or (c near3 m near3y)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:39

L14	1	9 and ((address\$5 or index\$5 or indic\$5) with (min or minimum or smallest) same (cm y or (c near3 m near3y)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:39
L15	362	((address\$5 or index\$5 or indic\$5) with (min or minimum or smallest) same (cm y or (c near3 m near3y)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:40
L16	160	((address\$5 or index\$5 or indic\$5) with (min or minimum or smallest) with (cm y or (c near3 m near3y)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:41
L17	29	16 and ((address\$5 or index\$5 or indic\$5) with (difference or subtract\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:42
L18	71	((address\$5 or index\$5 or indice) with (min or minimum or smallest) with (cm y or (c near3 m near3y)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:41
L19	9	18 and ((address\$5 or index\$5 or indice) with (difference or subtract\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:43

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	54	(lut or look-up or lookup or table) same ((addres\$5 or index or indice) with ((difference or subtract\$5) with (max or maximum) with (min or minimum)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:34
L13	2	12 and ((capacit\$5 or siz\$3) with (multiple) with difference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:31
L14	10	12 and ((capacit\$5 or siz\$3) with difference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:31
L15	8	12 and (((capacit\$5 or siz\$3) with difference) same (lookup or look-up or lut or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:34
L16	321	(lut or look-up or lookup or table) and ((addres\$5 or index or indice) with ((difference or subtract\$5) with (max or maximum) with (min or minimum)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:41
L17	11	16 and (((capacit\$5 or siz\$3) with difference) same (lookup or look-up or lut or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:36
L18	3	16 and (((capacit\$5 or siz\$3) with difference with multipl\$4) same (lookup or look-up or lut or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:39
L19	2	16 and (((capacit\$5 or siz\$3) with multiple) same (lookup or look-up or lut or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:40
L20	11	16 and (((capacit\$5 or siz\$3) with multiple))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:42
L21	408	(lut or look-up or lookup or table or memory) and ((addres\$5 or index or indice) with ((difference or subtract\$5) with (max or maximum) with (min or minimum)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:41

L22	12	21 and (((capacit\$5 or siz\$3) with multiple))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:42
L23	31	(lut or ((look-up or lookup) near2 table)) same (((capacit\$5 or siz\$3) with multiple with number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:47
L24	10	23 and (interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:44
L25	47	(lut or ((look-up or lookup) near2 table)) same (((capacit\$5 or siz\$3) with (multiple or proportional\$5) with number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:47
L26	16	(lut or ((look-up or lookup) near2 table)) same (((capacit\$5 or siz\$3) with (proportional\$5) with number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:48
L27	21	(lut or ((look-up or lookup) near2 table)) same (((capacit\$5 or siz\$3 or entry or entries) with (proportional\$5) with number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:48
L28	73	(lut or ((look-up or lookup) near2 table)) same (((capacit\$5 or siz\$3 or entry or entries) with (proportional\$5 or multiple) with number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:51
L29	16	28 and (imag\$3 near4 process\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:52
L30	40	(lut or ((look-up or lookup) near2 table)) with (((capacit\$5 or siz\$3 or entry or entries) with (proportional\$5 or multiple) with number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:54
L31	9	30 and (imag\$3 near4 process\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:55
L32	0	"5113248".pn. and (interpolat\$5 same (conver\$6 with "6"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:53

L33	0	"5113248".pn. and (interpolat\$5 same (conver\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:54
L34	1	"5113248".pn. and (interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:54
L35	707	((lut or ((look-up or lookup) near2 table)) with (capacit\$5 or siz\$3 or entry or entries)) same interpolat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:55
L36	392	((lut or ((look-up or lookup) near2 table)) with (capacit\$5 or siz\$3)) same interpolat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:04
L37	191	36 and (imag\$3 near4 process\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:05
L38	33	((lut or ((look-up or lookup) near2 table)) with (capacit\$5 or siz\$3)) and (interpolat\$5 with (between or in-between) with (grid or spacing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:08
L39	22	38 and (imag\$3 near4 process\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:06
L40	333	((lut or ((look-up or lookup) near2 table)) with (capacit\$5 or siz\$3)) and (interpolat\$5) and ((black or k) with (generat\$5 or add\$5 or produc\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:08
L41	40	40 and ((capacit\$5 or siz\$5) with (difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:25
L45	1260	((black or k) near5 (generat\$5 or add\$4 or produc\$5)) and ((undercolor or under-color or (under adj2 color) or ucr) near5 (generat\$5 or add\$5 or remov\$5 or subtract\$5 or produc\$5 or process\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:59

L46	116	45 and ((select\$5 or choos\$5) near5 ((undercolor or under-color or (under adj2 color) or ucr)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:01
L47	74	46 and ((select\$5 or choos\$5) near5 (black or k))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:02
L48	50	47 and ((select\$5 or choos\$5) with (render\$5 or photograph or (character or text or lines)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:02
S20	432	((black or k) near5 (generat\$5 or add\$4 or produc\$5)) and (undercolor near5 (generat\$5 or add\$5 or remov\$5 or subtract\$5 or produc\$5 or process\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 14:59
S21	3	S20 and (((("2" or two) near2 (d or dimension\$5)) near5 (lut or lookup or look-up or table)) same (address\$5 or index or indice))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:57
S22	1	S21 and ((differ\$6 or subtract\$5) same (address\$5 or index or indice))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:58
S23	123198	((black or k) near5 (generat\$5 or add\$4 or produc\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:57
S24	88	S23 and (((("2" or two) near2 (d or dimension\$5)) near5 (lut or lookup or look-up or table)) same (address\$5 or index or indice))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:58
S25	58	S24 and ((differ\$6 or subtract\$5) same (address\$5 or index or indice))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:58
S26	25	S24 and ((difference or subtract\$5) same (address\$5 or index or indice))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:00
S27	9	S24 and ((difference or subtract\$5) same ((min or minimum or smallest) same (max or maximum or largest)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:03

S28	102	S23 and (((difference or subtract\$5) with (address\$5 or index or indice)) same ((min or minimum or smallest) same (max or maximum or largest)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:03
S29	13	S28 and (cmy or cmyk or (c near3 m near3 y))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:30
S30	0	"5113248".pn. and (address same (conver\$6 near4 "6"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:34
S31	0	"5113248".pn. and ((min or minimum) with constant\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:34
S32	1	"5113248".pn. and (constant\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 12:44